


SHERWOOD FIRE DEPARTMENT FIRE HYDRANT Testing/Inspection Schedule



**Monday, April 13, 2009
THROUGH
Friday, April 24, 2009**

The Sherwood Fire Department will be testing public fire hydrants **Monday, April 13, through Monday, April 24**, in the Sherwood, Sylvan Hills, and Brushy Island areas. Because the testing involves the increased flow of water from fire hydrants, some customers may notice discolored water during the testing.

Fire hydrants are very important to quality fire protection for your home or business. We test twice a year — April and October — to inspect for proper operation, leaks, and other possible maintenance concerns.



Applicable **ONLY** to the SHERWOOD FIRE DEPARTMENT SERVICE AREA

If you notice discolored water at the tap, just let the water run for a few minutes and it should clear. If you have discolored water for more than an hour, call Central Arkansas Water at 501.377.1239.

- **The increased flow of water from the fire hydrants during testing occasionally causes the scouring of manganese that has built up on the lining of water mains. The scouring can result in discolored water at the customer's tap.**
- **The discolored water is bacteriologically safe but can stain clothing.**
- **DO NOT WASH clothing in the discolored water. Check for discolored water in your washing machine before washing clothes during the designated fire hydrant testing period for your area.**

The Sherwood Fire Department cannot provide the exact day of the week that firefighters will be testing in a specific neighborhood.

SHERWOOD FIRE DEPARTMENT

"The mission of the Sherwood Fire Department is to protect what is most precious to us — family and property."

Protecting People, Property, and Public Health

Sherwood Fire Department
400 Lantrip Road
Sherwood, AR 72120
Emergencies: 911
501.835.0342
www.sherwoodfire.org

Central Arkansas Water
P.O. Box 1789
Little Rock, AR 72203
501.377.1239
501.377.1282
www.carkw.com

Fire Hydrant Maintenance
Fire Hydrant Installation

501.377.1239
501.377.1282

SHERWOOD FIRE HYDRANT TESTING – APRIL 2009